

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ASSISTANT COMMISSIONER FOR PATENTS

Washington, D.C. 20231

Prior Application:

Attorney's Docket Number: **06053.0001-01**

JCS40 U.S. PTO
09/185703
11/04/98

Unit: 3302

Examiner: J. Cheng

This is a request for filing a

☒ Continuation ☐ Divisional Application under 37 C.F.R. § 1.53(b) of pending prior application Serial No. 08,590,640 filed January 24, 1996 of Frederick R. Guy et al. for REMOTE LEARNING SYSTEM USING A TELEVISION SIGNAL AND A NETWORK CONNECTION:

1. ☒ Enclosed is a complete copy of the prior application including the oath or Declaration and drawings, if any, as originally filed. I hereby verify that the attached papers are a true copy of prior application Serial No. 08/590,640 as originally filed on January 24, 1996.
2. ☐ Enclosed is a substitute specification under 37 C.F.R. § 1.125.
3. ☒ Cancel Claims 2-19.
4. ☒ A Preliminary Amendment is enclosed.
5. ☒ The filing fee is calculated on the basis of the claims existing in the prior application as amended at 3 and 4 above.

For	: Number Filed	: Number Extra	: Rate	: Basic Fee \$790.00
Total	:	:	:	:
Claims	: 21 -20=	: 1	: x\$ 22.00=	: \$ 22.00
Independent	:	:	:	:
Claims	: 13 -3=	: 10	: x\$ 82.00=	: \$ 820.00
Multiple Dependent Claim(s) (if applicable)			: +\$270.00=	: -
Total			=	: \$ 1,632.00
Reduction by 1/2 for			:	:
filing by small entity			:	: - 816.00
TOTAL FILING FEE			=	: \$ 816.00

6. ☒ A check in the amount of \$ 816.00 to cover the filing fee is enclosed.
7. ☒ The Commissioner is hereby authorized to charge any fees which may be required including fees due under 37 C.F.R. § 1.16 and any other fees due under 37 C.F.R. § 1.17, or credit any overpayment during the pendency of this application to Deposit Account No. 06-0916.

8. ☒ Amend the specification by inserting before the first line, the sentence:
- This is a continuation of application Serial No. 08/590,640, filed January 24, 1996, which is incorporated herein by reference.
9. ☒ New formal drawings are enclosed.
10. ☒ The prior application is assigned of record to: **Frederick R. GUY**.
11. ☐ Priority of application Serial No. _____, filed on _____ in _____ (country) is claimed under 35 U.S.C. § 119. A certified copy
- ☐ is enclosed or ☐ is on file in the prior application.
12. ☒ A verified statement claiming small entity status
- ☐ is enclosed or ☒ is on file in the prior application.
13. ☒ The power of attorney in the prior application is to at least one of the following:
 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P., Douglas B. Henderson, Reg. No. 20,291; Ford F. Farabow, Jr., Reg. No. 20,630; Arthur S. Garrett, Reg. No. 20,338; Donald R. Dunner, Reg. No. 19,073; Brian G. Brunsvold, Reg. No. 22,593; Tipton D. Jennings, IV, Reg. No. 20,645; Jerry D. Voight, Reg. No. 23,020; Laurence R. Heffer, Reg. No. 20,827; Kenneth E. Payne, Reg. No. 23,098; Herbert H. Mintz, Reg. No. 26,691; C. Larry O'Rourke, Reg. No. 26,014; Albert J. Santorelli, Reg. No. 22,610; Michael C. Elmer, Reg. No. 25,857; Richard H. Smith, Reg. No. 20,609; Stephen L. Peterson, Reg. No. 26,325; John M. Romary, Reg. No. 26,331; Bruce C. Zotter, Reg. No. 27,680; Dennis P. O'Reilly, Reg. No. 27,932; Allen M. Sokal, Reg. No. 26,695; Robert D. Bajefsky, Reg. No. 25,387; Richard L. Stroup, Reg. No. 28,478; David W. Hill, Reg. No. 28,220; Thomas L. Irving, Reg. No. 28,619; Charles E. Lipsey, Reg. No. 28,165; Thomas W. Winland, Reg. No. 27,605; Basil J. Lewis, Reg. No. 28,818; Martin I. Fuchs, Reg. No. 28,508; E. Robert Yoches, Reg. No. 30,120; Barry W. Graham, Reg. No. 29,924; Susan Haberman Griffen, Reg. No. 30,907; Richard B. Racine, Reg. No. 30,415; Thomas H. Jenkins, Reg. No. 30,857; Robert E. Converse, Jr., Reg. No. 27,432; Clair X. Mullen, Jr., Reg. No. 20,348; Christopher P. Foley, Reg. No. 31,354; John C. Paul, Reg. No. 30,413; David M. Kelly, Reg. No. 30,953; Kenneth J. Meyers, Reg. No. 25,146; Carol P. Einaudi, Reg. No. 32,220; Walter Y. Boyd, Jr., Reg. No. 31,738; Steven M. Anzalone, Reg. No. 32,095; Jean B. Fordis, Reg. No. 32,984; Roger D. Taylor, Reg. 28,992; Barbara C. McCurdy, Reg. No. 32,120; James K. Hammond, Reg. No. 31,964; Richard V. Burgujian, Reg. No. 31,744; J. Michael Jakes, Reg. No. 32,824; Dirk D. Thomas, Reg. No. 32,600; Thomas W. Banks, Reg. No. 32,719; Christopher P. Isaac, Reg. No. 32,616; Bryan C. Diner, Reg. No. 32,409; M. Paul Barker, Reg. No. 32,013; Andrew Chanhon Sonu, Reg. No.

08/590,640


33,457; David S. Forman, Reg. No. 33,694; Vincent P. Kovalick, Reg. No. 32,867; James W. Edmondson, Reg. No. 33,871; Michael R. McGurk, Reg. No. 32,045; Joann M. Neth, Reg. No. 36,363; Gerson S. Panitch, Reg. No. 33,751; Cheri M. Taylor, Reg. No. 33,216; Charles E. Van Horn, Reg. No. 40,266; and Linda A. Wadler, Reg. No. 33,218.

14. ☒ The power appears in the original declaration of the prior application.
15. ☐ Since the power does not appear in the original declaration, a copy of the power in the prior application is enclosed.
16. ☒ Please address all correspondence to FINNEGAN, HENDERSON, FARABOW, GARRETT and DUNNER, L.L.P., 1300 I Street, N.W., Washington, D.C. 20005-3315.
17. ☐ Recognize as associate attorney _____

 (name, address & Reg. No.)
18. ☐ Also enclosed is _____

PETITION FOR EXTENSION. If any extension of time is necessary for the filing of this application, including any extension in the parent application, serial no. 08/590,640, filed January 24, 1996, for the purpose of maintaining copendency between the parent application and this application, and such extension has not otherwise been requested, such an extension is hereby requested, and the Commissioner is authorized to charge necessary fees for such an extension to our Deposit Account No. 06-0916. A duplicate copy of this paper is enclosed for use in charging the deposit account.

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: 
 Jeffrey A. Berkowitz
 Reg. No. 36,743

Date: November 4, 1998

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Frederick R. GUY et al.)
)
Serial No.: Rule 53(b) continuation) Group Art Unit: Unassigned
application of Serial No.)
08/590,640) Examiner: Unassigned
)
Filed: October 28, 1998)
)
For: REMOTE LEARNING SYSTEM)
USING A TELEVISION SIGNAL)
AND A NETWORK)
CONNECTION)

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

PRELIMINARY AMENDMENT

Prior to the examination of the above application, please amend this application
as follows:

IN THE CLAIMS:

Please cancel claim 1, and add the following new claims 20-40:

--20. A system for remote communication, comprising:

at least one host server for integrating data received from at least one of a
plurality of client computers with a television signal and broadcasting the integrated
television signal; and

a client computer for receiving the broadcast integrated television signal and for separating the integrated television signal into video and data display.

21. The system of claim 20, wherein the client computer comprises a tuner card for separating the integrated television signal.

22. The system of claim 20 wherein the client computer comprises a user interface for presenting the video and data, and receiving input data to be sent to the host server.

23. The system of claim 20, wherein at least part of the data received by the host server from one client computer is addressed to at least one other client computer.

24. The system of claim 20, wherein the client computer further comprises a display device for presenting video and data received from the integrated television signal in separate areas of the display device.

25. A method of providing online services between a host and a plurality of client facilities, the method comprising:

transmitting a television compatible signal to the plurality of client facilities;

intermittently receiving data from at least one of the plurality of client

facilities; and

integrating at least a portion of the received data together with the television compatible signal for transmission to at least one other client facility among the plurality of client facilities.

26. A method for integrating a continuous signal of images and sounds with a data signal as a television compatible signal in a host server communicably connected to a broadcasting facility that transmits the television compatible signal, the method comprising:

receiving data defining actions of at least one of a plurality of client facilities; and

combining the received data defining actions as at least a part of the television compatible signal.

27. An interactive television-computer apparatus, comprising:

a television tuner card for receiving the television signal and separating the television signal into a video signal for display on a first section of a display device, an audio signal for transmission to a speaker, and a data signal, at least part of the data signal being sent for display on a second section of the display device; and

a networking device for transmitting data defining actions of a user to a host-broadcasting facility.

28. A television-computer apparatus employing a user interface for presenting video and data received from an integrated television signal while at the same time being used for inputting data that is sent to a host facility by means of a network connection for integration into a television signal.

29. A method for remotely controlling display of data on a display device of a computer, the method comprising:

generating display control data to at least one client computer;

transmitting the display control data to a host server; and

sending the display control data from the host server to at least one other client computer as part of a television signal for controlling display of data.

30. A single integrated television tuner/data decoding device that attaches to a computer and which receives a television compatible signal, separating audiovisual data and other display data from the television compatible signal, and which data is displayed on a display device connected to the computer.

31. The television tuner/data decoding device of claim 30 configured as a single circuit card that attaches to an expansion slot of the computer.

32. The television tuner/data decoder device of claim 30 configured as external box connected to the computer.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-406-4000

33. A system comprising:

a single integrated television tuner/data device that attaches to a computer and which receives a television compatible signal, separating audiovisual data and other display data from the television compatible signal, and which data is displayed on a display device connected to the computer; and

a user interface for displaying the data received from the television compatible signal and for receiving input data for transmission to a communication server that transmits at least a portion of the input data to another computer by means of a television compatible signal.

34. A computer-readable medium containing instructions for controlling a remote communication system to perform a method, the remote communication system having at least one host server and a plurality of client computers, the method comprising the steps of:

integrating data received by the host server from at least one of the plurality of client computers with a television signal;

transmitting from the host server the integrated television signal to at least one of the plurality of client computers;

receiving the broadcast integrated television signal by at least one of the client computers; and

separating the integrated television signal into video and data display.

35. The computer-readable medium of claim 34, further comprising:
providing on the client computer a user interface for presenting the video and data, and receiving input data to be sent to the host server.

36. The computer-readable medium of claim 34, wherein the client computer comprises a display device, and wherein the separating step includes
displaying a representation of the television signal and the data in separate areas of the display device.

37. A computer-readable medium containing instructions for controlling communication within a communication system to provide on-line services between a host and a plurality of client facilities in the communication system in accordance with a method, the method comprising:

transmitting a television compatible signal to the plurality of client facilities;
intermittently receiving data from at least one of the plurality of client facilities; and

integrating at least a portion of the received data together with the television compatible signal for transmission to at least one other client facility among the plurality of client facilities.

38. A computer-readable medium containing instructions for integrating a continuous signal of images and sounds with a data signal as a television compatible

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-406-4000

signal in a host server communicably connected to a broadcasting facility that transmits the television compatible signal in accordance with a method, the method comprising:

receiving data defining actions of at least one of a plurality of client facilities; and

combining the received data defining actions as at least a part of the television compatible signal.

39. A computer-readable medium containing instructions for displaying data on a display device of a computer in accordance with a method, the method comprising:

generating display control data to at least one client computer;

transmitting the display control data to a host server; and

sending the display control data from the host server to at least one other client computer as part of a television signal for controlling display of data.

40. A computer-readable medium containing instructions for operating a computer in accordance with a method, the method comprising:

presenting a user interface for displaying data received from a television compatible signal; and

receiving input data by means of the user interface for transmission via a network connection whereby at least a portion of the input data is transmitted to another computer by means of a television compatible signal.--


REMARKS

Applicants submit this preliminary amendment for the Examiner to consider new claims 20-40.

The Commissioner is hereby authorized to charge any fees which may be required including fees due under 37 C.F.R. § 1.16 and any other fees due under 37 C.F.R. § 1.17, or credit any overpayment during the pendency of this application, to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: 
Jeffrey A. Berkowitz
Reg. No. 36,743

Dated: November 4, 1998

UNITED STATES PATENT APPLICATION
OF
Frederick R. Guy and Ronald N. Roberts
FOR
REMOTE LEARNING SYSTEM

30404-0029360

2

LAW OFFICES

INNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L. L. P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention describes a system which permits an instructor to teach one or more students at a site remote from the instructor.

Description of the Related Art

Instruction of students located in the same physical classroom as the instructor is an effective method of teaching because it allows a student to ask questions to both the instructor and the rest of her classmates. The instructor can give an immediate answer to the students, and can spontaneously ask additional questions of the students as the lecture progresses. In short, the instructor and the students can easily interact with each other concerning the topic of the lecture.

However, it is often necessary or desirable to teach students who for some reason are not able to meet in the same physical classroom. For example, students or instructors located at disparate physical locations may not be able to meet in one location or the number of students may be so large as to preclude fitting comfortably into one classroom. In these situations, distant or remote learning systems can advantageously be employed.

One approach to teaching students at remote sites, disclosed in U.S. Patent 4,785,472, involves connecting a teaching station with a plurality of student stations over telephone lines. Both the teacher and the students have a prerecorded instructional

202-408-4000

tape and a video player to play the tape on. In operation, the instructor lectures, sends data to a computer, and controls on/off synchronization of the video players with commands sent over the telephone lines. In this manner, the instructor is able to lecture and periodically visually illustrate the lecture by showing the same section of multiple, identical video tapes to all of the students. This approach to remote learning has significant limitations caused by a need for (1) a constant telephone connection to the teaching site; (2) video segments for each session; and (3) a prepared video tape that must be distributed to each student before the lesson begins. Each of these requirements for a conventional remote learning system has associated costs, the most significant of which may be the telephone connection that must be connected for the complete lesson.

Another conventional approach to remote learning is to use personal computers outfitted with a modem such that all communication is over public telephone lines. This approach is initially advantageous because the setup cost is low; once in use, however, the phone connect time charges can be prohibitively expensive.

Additionally, it is presently difficult to send video signals with the limited bandwidth available with today's telephone lines and modems. Further, proposals to use wide bandwidth telephone lines for such video transmission will increase further the costs required to use such proposed systems.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to address the limitations of the prior art remote learning systems. It is a further object of the present invention to provide a remote educational system that provides a visual and, when appropriate, audio presentation, for students, including, for example, pictures of the instructor while allowing the students to easily interact with the instructor and with each other.

It is a further object of the present invention to provide a remote educational system that is low in cost for the student, both in terms of the initial hardware and software required and in the day-to-day operation.

The advantages and purpose of the invention will be set forth in part in the description which follows, and in part will be obvious from the description, or may be learned by practice of the invention. The advantages and purpose of the invention will be realized and attained by means of the elements and combinations particularly pointed out in the appended claims.

To attain the advantages and in accordance with the purpose of the invention, as embodied and broadly described herein, the invention comprises a system for remote communication between a host and a client, comprising a host facility for integrating data to be supplied to the client into vertical blanking intervals of a television signal and broadcasting the integrated television signal. A client receives the broadcasted integrated

television signal and separates the integrated television signal into a standard television signal and the to-be-supplied data. Finally, the client transmits information to the host facility by connecting to a network linked with the host facility.

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention, as claimed.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated in and constitute a part of this specification, illustrate an embodiment of the invention and together with the description, serve to explain the principles of the invention. In the drawings,

Fig. 1 is an illustration of the distance learning system according to an embodiment of the present invention;

Fig. 2 is a block diagram of an exemplary multimedia PC as used in an embodiment of the present invention;

Fig. 3 is a diagram illustrating the integration of the display data and presentation data according to an embodiment of the present invention;

Fig. 4 is an exemplary display of the user interface presented by the software according to an embodiment of the present invention;

Fig. 5 illustrates one of the multimedia PCs used in an embodiment of the present invention; and

LAW OFFICES

INNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

05407T 80255T50

Figs. 6A and 6B are a flow chart illustrating the system operation according to an embodiment of the present invention.

Reference will now be made in detail to the present preferred embodiment of the invention, an example of which is illustrated in the accompanying drawings. Wherever possible, the same reference numbers will be used throughout the drawings to refer to the same or like parts.

DESCRIPTION OF THE PREFERRED EMBODIMENT

A remote, or distance learning system is disclosed which combines on-line service information with a television signal designed to be received by students using a multimedia personal computer. Each personal computer is capable of communicating back to a server over a network, such as a public telephone network. The broadcasting facility then integrates the information transmitted over the network from a single student with the television signal, such that all the personal computer users (e.g., students) can see the information without having to connect to the network. The server may also integrate information originating at the server for transmittal to the students' personal computers.

In Fig. 1, the distance learning system (DLS) 100 according to the preferred embodiment comprises a broadcasting antenna 102 for broadcasting information, such as an instructional presentation, to a plurality of multimedia personal computers

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

(PCs) 106 located at sites distant from the antenna 102. The antenna 102 could equivalently be replaced by a cable television link. A broadcasting facility 110, and server 104 are coupled to the antenna 102 and generate the signals to be broadcast by the antenna 102. A network 108, such as a public telephone network, is used to transmit data between the PCs 106 and the server 104. Although in the preferred embodiment the network 108 is a public telephone network, it could equivalently be any wide area network or combination thereof.

Reference will now be made to Fig. 2 to describe an exemplary embodiment of one of the PCs 106. Television tuner card/vertical blanking interval (VBI) modem 208 receives the television signal transmitted from the antenna 102. The television tuner card/VBI modem 208 may preferably be any of a number of suitable commercially available products, such as, for example, the Malachi, manufactured by En Technology Corporation. The television signal received at the tuner card/VBI modem 208 is provided to the on-line operating module 212 as presentation data and display data. Presentation data is the real-time audio-video data recorded by the instructor whereas display data is data that, for example, defines actions of the students. The on-line operating module 212 controls a modem 210 and display area 216 of the PC's monitor 214. Further, the on-line operating module 212 manages information input from the user of PC 106 using input devices such as a mouse, a pen writing tablet, or a keyboard.

00453703 1049
004047 00258760

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

Fig. 5 illustrates an exemplary one of the multimedia PCs 106. In the preferred embodiment, PC 106 is a multimedia personal computer operating with the 80X86 compatible architecture and a graphical or windows based operating system. However, as would be recognized by one of ordinary skill in the art, many other suitable computer architectures and operating systems could be equivalently used.

PC housing 500 of PC 106 holds the majority of the PC's operating hardware. Housing 500 may hold, for example, the main processor, a hard disk drive, a floppy disk drive, fast access volatile memory, and CD ROM drive. Either connected to or integrated within housing 500 are a variety of input devices such as keyboard 506, mouse 502, and touch pad or pen writing tablet 504. PC 106 may also include speakers 508 and monitor 214, used to output audio and visual information, respectively. Modem 210, for sending or receiving digital data over phone lines, is electrically connected to housing 500. Television tuner/VBI modem 208, for receiving a modified standard television signal, is also electrically connected to housing 500. Both modem 210 and tuner/VBI modem 208 may alternately be implemented as computer (or printed circuit) boards installed within the housing 500.

The invention will be further clarified by the following operational description, which is intended to be exemplary of the invention. In a typical remote learning session according to the present invention, an instructor, located at the host site 112,

teaches students, each located at one of the PCs 106. The lecture information in the form of an audio-visual feed from the instructor, called presentation data, is broadcast through a television signal by antenna 102 to the PCs 106. In addition to the presentation data, data to be used to control the on-line operating module 212, called display data, is embedded within the television signal being broadcast to the PCs 106. Frequently, the display data describes updates to be made to the students' displays.

Fig. 3 illustrates the integration function of the presentation data with the display data, performed at the host 112. Presentation data to be integrated may include a live or taped audio-visual feed of the lecture. Display data to be integrated may include data entered by either the instructor or one of the students. Display data entered by a student is transmitted to the host 112 through network 108 using the student's modem 210 before it is integrated. The actual integration operation is performed by integrator 300, which receives the display data and presentation data and integrates them into a single output signal 302. The output signal 302 comprises a standard television signal of the presentation data modified by inserting the display data into the television signal's vertical blanking intervals. The output signal 302 is transmitted to the broadcasting facility 110 and antenna 102 for broadcasting to the PCs 106.

LAW OFFICES

INNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

All the display data at the server does not have to be integrated by the integrator 300. Optionally, if the server is to send data to only one, or only a few students, and a live modem connection exists between those students, the server may send the display data directly over the live modem connection.

At each PC 106, tuner card/VBI modem 208 receives the transmitted output signal 302 and reads the display data from the vertical blanking interval of the television signal. The separated presentation and display data signals are then transferred to the on-line operating module 212.

The on-line operating module 212 manages the user interface 216 and transfers the output display data over modem 210 to server 104 via network 108. A typical display on the user interface 216 is shown in more detail in Fig. 4. The operation of the on-line operating module 212 in relation to Fig. 4 will be described next.

Fig. 4 is an exemplary display of the interface screen presented by the on-line operating module 212 to the user. A similar interface screen would be presented to the instructor at the host 112. The three main sections of the interface screen are the instructor presentation section 400, the chalkboard section 402, and the typing/bulletin board section 404.

In the instructor presentation section 400, a real-time rendering of the television presentation data is displayed. Typically, this would be a display of the instructor and/or his instructional materials during a lecture. An audio signal

corresponding to the instructor's presentation may be simultaneously output to the speakers 508. The chalkboard section 402 is an interactive chalkboard that can be written on by either the instructor or the students. Typically, a computer mouse, touch pad, and/or pen writing pad is used to write on the chalkboard 402. Information written on the chalkboard 402 by the instructor is integrated into the television signal as display data at the host 212, by the integrator 300, and transmitted to the PCs 106, where it is subsequently separated by the tuner card/VBI modem 208 from the television signal and displayed on the students' chalkboards 402.

A flow chart of the decision sequence initiated when a student writes information to her chalkboard 402 for viewing by the instructor and the other students is shown in Fig. 6. When information is written on the chalkboard by the student, step 600, it is transmitted as display data by the student's modem 210 to the server 104 in step 606. If in step 602 it is determined that the modem is not connected to the public telephone network, step 604 is executed, connecting the modem 210 to the network. If a predetermined period of time elapses with no transmission by the modem and the software is in a "toll-saving" mode, modem 210 will automatically be disconnected from the telephone network. In the "toll-saving" mode, connections to the server are temporary and end after a predetermined period of time. If a connection has been ended and the student subsequently performs

LAW OFFICES

INNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

actions which require connection to the server, the client program transparently re-establishes the connection.

In step 608, the display data received by the server is written onto the server chalkboard. Next, the display data is integrated with the instructor television signal, step 610, and the integrated output signal 302 is broadcast, step 612. The integrated output signal 302 is then received at the students' PCs, step 614, and separated by the tuner/VBI modem 512 in step 616. The separated display data is received by the on-line operating module 212. Finally, the on-line operating module 212 judges whether the display data is the same display data that was previously entered and transmitted from the host PC. If it is not the same display data, the chalkboard 402 is updated with this new display data in step 620. If it is the same display data, the chalkboard 402 is not updated.

Although the above example was illustrated using a general broadcast of the display data, that is, the display data was received and displayed on all the PCs 106, more selective broadcasting functions can be utilized. In particular, the student or instructor writing on the chalkboard may elect for her message to be displayed on only a selected set of the other PCs. To do this, the user selects, preferably using a menu system, whom her message is to be sent to. This selection information is transmitted with the display data. At the receiving PC, an additional judgment is made at step 619, namely, the PC determines whether the message was addressed for display to that

particular user. If it is determined that it was intended for that user, the message is displayed, otherwise, the message is ignored by the on-line operating module 212.

Typing/bulletin board section 216 of the user interface is used by the students and the instructor as an interactive "chat" area in which messages can be quickly typed and transmitted to other users. Here, after a line of text 406 is entered by a student or the instructor, it is converted into display data by the on-line operating module 212 and transmitted to the other users in the same manner that information entered on the chalkboard is transmitted. That is, the text is transmitted to the host 112, integrated into the television signal by the integrator 300, and broadcast to the PCs 106. Similar to the chalkboard information, a user may also address the messages sent to a limited set of users, allowing for more personal messages.

It will be apparent to those skilled in the art that various modifications and variations can be made in the embodiment of the present invention and in construction of this invention without departing from the scope or spirit of the invention. As an example, the disclosed invention is not limited to remote classroom instruction with an instructor lecturing to students. Indeed, a bulletin board and on-line service has been constructed using the concepts disclosed in the present invention. The bulletin board and on-line service transmits most of the general bulletin board data to the users using a high bandwidth, low reception cost signal such as a television signal. The users

354077-80258160

LAW OFFICES

INNENEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

transmit their data using a lower bandwidth network such a public telephone network. Although all the users receive a single transmission signal from the bulletin board, the user's local software only displays the information intended for that user.

Other embodiments of the invention will be apparent to those skilled in the art from consideration of the specification and practice of the invention disclosed herein. It is intended that the specification and examples be considered as exemplary only, with the true scope and spirit of the invention being indicated by the following claims.

WHAT IS CLAIMED IS:

1. A system for remote communication, comprising:

a host facility for integrating data into vertical blanking intervals of a television signal and broadcasting the integrated television signal; and

a client for receiving the broadcasted integrated television signal and for separating the integrated television signal into a standard television signal and to-be-supplied data;

wherein the client transmits information to the host facility by connecting to a network linked with the host facility and the client connects to the network only when the information is present at the client and disconnects from the network when the information has been transmitted to the host, whereby the amount of time spent on the network is reduced.

2. The system of claim 1, wherein the disconnecting occurs after a predetermined time of inactivity after the information has been transmitted to the host.

3. The system of claim 2, wherein the network is a public telephone network.

4. The system of claim 2, wherein the network is a wide area network.

5. The system of claim 3, wherein the client connects to the public telephone network with a modem.

LAW OFFICES

INNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

6. The system of claim 2, wherein the client further comprises a tuner card for separating the integrated television signal.

7. The system of claim 6, wherein the client further comprises a monitor for displaying a representation of the television signal and the to-be-supplied data in separate areas of the monitor.

8. An interactive system for remote educational instruction between an instructor and a plurality of students, the system comprising:

a host facility for integrating a continuous signal of images and sounds with a digital data signal into a television signal, the host facility broadcasting the television signal² and receiving data defining actions of the plurality of students;

a plurality of remote multimedia computers each comprising:

a television tuner card for receiving the television signal and converting the television signal into a digital video signal for display on a first section of a monitor of the computer, an audio signal for transmission to a speaker of the computer, and the digital data signal, at least part of the digital data signal being sent for display on a second section of the monitor;

a modem for transmitting the data defining actions of a student to the host broadcasting facility over public phone lines;

wherein the host facility receives the data defining actions of the students from at least one of the plurality of multimedia computers and converts the data defining actions of the students into the digital data signal for subsequent integration into the television signal and broadcasting of the television signal.

9. The remote education system of claim 8, wherein when one of the multimedia computers receives digital data corresponding to the data defining student actions transmitted from the modem of that multimedia computer, the multimedia computer cancels the sending for display to the second section of the monitor.

10. The remote education system of claim 8, wherein the continuous signal of images and sounds represents a presentation of the instructor.

11. The remote education system of claim 8, wherein the host receives the data defining actions of the plurality of students over public phone lines.

12. A method for remote communication between a host facility and a plurality of client facilities, the method comprising:

broadcasting a signal compatible with a television signal at the host facility to the plurality of client facilities;

continuously receiving the television compatible signal at the plurality of client facilities, the television compatible signal containing data defining actions of at least one of the client facilities;

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

wherein each of the client facilities connects to a network to transmit to the host facility when the data defining the client actions is present at each said client facility, and disconnecting from the network when the data defining the client actions at each said facility has been transmitted to the host facility.

13. The method of claim 12, wherein the network is a public telephone network.

14. The method of claim 12, wherein the network is a wide area network.

15. The method of claim 12, wherein the television signal is broadcast over cable television lines.

16. The method of claim 12, wherein the television signal is broadcast through the atmosphere.

17. A method for remote communication between a host facility broadcasting a signal compatible with a television signal and a plurality of client facilities, the method comprising:

continuously receiving the television compatible signal at the plurality of client facilities, the television compatible signal containing first data defining actions of at least one of the client facilities;

connecting each of the client facilities to a network to transmit to the host facility when second data originating at said client facility and defining actions at said client facility

is present at said client facility, and disconnecting from the network when the second data defining actions at said client facility has been transmitted to the host facility.

18. A method for remote communication between a host facility and a client facility, the client facility having a multimedia computer including a television tuner card and a modem, the method comprising the steps of:

receiving a first data signal at the host facility, the first data signal being transmitted by the client facilities modem and defining actions of the client facility;

generating a second data signal at the host facility, the second data signal being compatible with a television signal and representing an educational presentation by an instructor;

generating a third data signal at the host facility, the third data signal defining control instructions for the client facility;

integrating said first data signal, said second data signal, and said third data signal at said host facility such that said integrated signal is compatible with a television signal;

transmitting said integrated signal to said tuner card of the client facility.

19. A method for running an on-line bulletin board between a host and a plurality of client facilities, the method comprising:

LAW OFFICES

INNEGAN, HENDERSON,
FARABOW, GARRETT
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

continuously transmitting a television compatible signal to the plurality of client facilities, the television compatible signal containing first data defining general bulletin board information, and second data defining information specific to a selected one or more of the client facilities;

intermittently receiving third data from the client facilities defining actions at said client facilities;

integrating a portion of the received third data into the television compatible signal as the first data or second data for transmission to the plurality of client facilities.

364077-80253160

4

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Frederick R. GUY et al.)
)
Serial No.: Rule 53(b) continuation) Group Art Unit: Unassigned
application of Serial No.)
08/590,640) Examiner: Unassigned
)
Filed: October 28, 1998)
)
For: REMOTE LEARNING SYSTEM)
USING A TELEVISION SIGNAL)
AND A NETWORK)
CONNECTION)

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:


SUBMISSION OF FORMAL DRAWINGS

Subject to the approval of the Examiner, please replace the informal drawings with the formal drawings filed herewith. If the formal drawings for any reason are not in full compliance with the pertinent statutes and regulations, please so advise the undersigned.

If any fees are necessary for the submission of these formal drawings, please charge our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: 
Jeffrey A. Berkowitz
Reg. No. 36,743

Dated: November 4, 1998

06053.0001-01

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

Patent # 6,023,450




FIG. 1

MULTIMEDIA PC

106




FIG. 2




FIG. 3




FIG. 4

MULTIMEDIA PC 106




FIG. 5




FIG. 6A

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: REMOTE LEARNING SYSTEM the specification of which is attached and/or I was filed as United States Application Serial No. 08/590,540 on January 24, 1996 and was amended on _____ (if applicable); or was filed as PCT International Application Number _____ on _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT International application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:


Country	Application Number	Date of Filing	Priority Claimed Under 35 U.S.C. 119
			<input type="checkbox"/> YES <input type="checkbox"/> NO
			<input type="checkbox"/> YES <input type="checkbox"/> NO

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Application Number	Date of Filing	Status (Patented, Pending, Abandoned)

I hereby appoint the following attorney and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, Reg. No. 22,540; Douglas B. Henderson, Reg. No. 20,291; Ford F. Farabow, Jr., Reg. No. 20,630; Arthur S. Garrett, Reg. No. 20,338; Donald R. Dunner, Reg. No. 19,073; Brian G. Brunsvold, Reg. No. 22,593; Tipton D. Jennings, IV, Reg. No. 20,645; Jerry D. Voight, Reg. No. 23,020; Laurence R. Hefter, Reg. No. 20,827; Kenneth E. Payne, Reg. No. 23,098; Herbert H. Mintz, Reg. No. 26,691; C. Larry O'Rourke, Reg. No. 26,014; Albert J. Santorelli, Reg. No. 22,610; Michael C. Elmer, Reg. No. 25,857; Richard H. Smith, Reg. No. 20,609; Stephen L. Peterson, Reg. No. 26,325; John M. Romary, Reg. No. 26,331; Bruce C. Zottler, Reg. No. 27,680; Dennis P. O'Reilly, Reg. No. 27,932; Allen M. Sokal, Reg. No. 26,695; Robert D. Bajefsky, Reg. No. 25,387; Richard L. Stroup, Reg. No. 28,478; David W. Hill, Reg. No. 28,220; Thomas L. Irving, Reg. No. 28,619; Charles E. Lipsy, Reg. No. 28,165; Thomas W. Winland, Reg. No. 27,606; Basil J. Lewis, Reg. No. 28,818; Martin I. Fuchs, Reg. No. 28,508; E. Robert Yoches, Reg. No. 30,120; Barry W. Graham, Reg. No. 29,924; Susan Haberman Griffen, Reg. No. 30,907; Richard B. Racine, Reg. No. 30,415; Thomas H. Jenkins, Reg. No. 30,857; Robert E. Converse, Jr., Reg. No. 27,432; Clair X. Mullen, Jr., Reg. No. 20,348; Christopher P. Foley, Reg. No. 31,354; John C. Paul, Reg. No. 30,413; David M. Kolly, Reg. No. 30,953; Kenneth J. Meyers, Reg. No. 25,148; Carol P. Einaudi, Reg. No. 32,220; Walter Y. Boyd, Jr., Reg. No. 31,738; Steven M. Anzalone, Reg. No. 32,095; Jean B. Fordis, Reg. No. 32,984; Barbara C. McCurdy, Reg. No. 32,120; James K. Hammond, Reg. No. 31,964; Richard V. Burgujian, Reg. No. 31,744; J. Michael Jakes, Reg. No. 32,624; and Jeffrey A. Berkowitz, Reg. No. 36,743. Please address all correspondence to FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER 1300 I Street, N.W., Washington, D.C. 20005, Telephone No. (202) 408-4000.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full Name of First Inventor Frederick R. Guy	Inventor's Signature 	Date 3/25/96
Residence 850 Fay Road, Syracuse, New York 13219	Citizenship U.S.A.	
Post Office Address 500 South Warren Street, Syracuse, New York 13202		

Listing of Inventors Continued on Page 2 hereof. ☒ Yes ☐ No

Listing of Inventors Continued From Page 1 hereof.

Attorney Docket No. 8053.0001-00

Full Name of Second Inventor Ronald N. Roberts	Inventor's Signature <i>Ronald N. Roberts</i>	Date 3/25/96
Residence 4 COCHECTON ROAD, COCHECTON NY 12726	Citizenship U.S.A.	
Post Office Address PO BOX 103 COCHECTON, NY 12726		

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER

FPGO 1296